


MANTEL


MODEL

X5021-2CHR
X5021-2TEK
X5021-2BLK
X5021-2GRY


X5021-2MAH
X5021-2WHT
X5021-2WAL



PACKAGE CONTENTS



HARDWARE CONTENTS



PACKAGE CONTENTS


PART	DESCRIPTION	QTY.	PART NO.
A	Top Panel	1	
B	Top Shelf	1	
C	Left Side Panel	1	
D	Right Side Panel	1	
E	Left Inner Panel	1	
F	Right Inner Panel	1	
G1	Lower Back Panel	1	
G2	Lower Back Panel	1	
H	Base	1	
I	Upper Back Panel	1	
J	Left Door	1	
K	Right Door	1	
AA	Bolt	20	
BB	Metal Connector	20	
CC	Handle	2	
DD	Screw	24	
EE	Cabinet Door Hinge	4	
FF	M4x20 screw	2	
SS	Safety Chain	1	

Some parts and specifications may change without notice.


Carefully remove all pieces from the carton and make sure that you have all parts listed (refer to parts list on page 2-3).

PACKAGE STEPS

1.




2.




PACKAGE STEPS

3.




4.




PACKAGE STEPS

5.




6.




PACKAGE STEPS

7.




8.




PACKAGE STEPS

9.




10.




PACKAGE STEPS

11.




12.




PACKAGE STEPS

13.




14.




PACKAGE STEPS

15.




16.




PACKAGE STEPS

17.




18.




PACKAGE STEPS

19.



20.




PACKAGE STEPS

IMPORTANT - Safety Chain Installation

WARNING:

This mantel is heavy furniture. Please be sure to correctly attach the safety chain to both the mantel and an adjacent wall. Failure to do so can cause serious injury or death.



INSTALLATION:

- Assemble the mantel and place it in position
- Attach one end of the chain to a wall stud using the screw included
- Attach the other screw – through a link in the chain – to the center of the mantel's top board (you may need to drill a small starter hole). Put the screw through the chain link that allows the least amount of slack in the chain.
- Carefully test that the installed chain adequately prevents tipping or tilting of the mantel.

NOTE: The chain must be as short as possible to prevent the mantel tipping forward. Do not allow slack in the chain.